Index to Volume 69

α_1-acid glycoprotein, 121–129
α-1-antitrypsin, 41–57, 357–373
Abade, Augusto, 383–391
Abbad tribe, Jordan, 357–373
abdominal circumference, 849–871
ABO blood group
  in Abbad tribe of Jordan, 357–373
  incompatibilities, 345–356
  in Majorcan Jews, 313–328
aborigines
  of Argentina, 227–239
  of Central Siberia, 403–417
  of South India, 171–199
Abreu, Fernando, 75–88, 499–508
accidents, 403–417
acid phosphatase (ACP), 161–170,
  171–199, 357–373, 509–515
ACP (acid phosphatase), 161–170,
  171–199, 357–373, 509–515
ACP1 genotype distribution, 509–515
active life expectancy, 107–120
activities of daily living, 107–120
ADA (adenosine deaminase), 357–373
adenosine deaminase (*ADA*), 357–373
adenylate kinase (*AK*), 161–170, 357–373
admixture, 75–88, 141–159, 161–170
African populations
  APOE genotypes, 575–581
  Brazilian, 141–159
  diversity, 785–792
  hookworm susceptibility, 201–208
  lipoprotein and lipid levels in, 793–807
  plasma protein genetics, 41–57
  prehistoric migrations, 467–482
  Uruguayan, 161–170, 641–652
age
  differences between mates, 241–251
  gestational, 849–871
  at marriage, 443–465
  maternal, 269–276, 345–356
  mortality rates and, 689–701
aging, physical frailty and, 107–120
AHSG (alpha-2-HS-glycoprotein), 41–57
AIDS, 533–544, 689–701
AK (adenylate kinase), 161–170, 357–373
Alarcon-Segovia, Donato, 809–818
alcohol consumption, accidental deaths
  and, 403–417
Alderman, Michael H., 533–544, 689–701
allele frequency
  APOB, 629–640, 793–807
  APOE, 375–382
  European, 663–673
  factor IX gene haplotype, 1–9
  in metropolitan population, 777–783
  in North Africa, 295–311
  plasma protein, 41–57
  short tandem repeat loci, 31–40
alleles
  APOE, 253–262
  cystic fibrosis, 75–88
  distribution, 357–373
  frequency. *See* allele frequency
  HLA, 809–818
  IT15, 653–662
  *ORM1*B13* and *ORM2*H21*, 121–129
alpha-1-antitrypsin, 41–57, 357–373
alpha-2-HS-glycoprotein (AHSG), 41–57
alpha-tocopherol, 89–96
Amalraj, S., 59–74
Amazon Indians, 467–482
Americans, black, 75–88
Amerindians
  biological origins, 161–170
  factor IX gene haplotypes, 1–9
  maternal and paternal lineages, 641–652
  mtDNA control region, 749–776
  prehistoric migrations, 467–482
amino acids, 575–581
Amorim, António, 31–40
"Analysis of the (CAG)*n* Repeat at the
  IT15 Locus in a Population from
  Calabria (Southern Italy)," 653–662

Andean Highlands, 375–382
Anderson, Jennifer L., 793–807
Andhra Pradesh, India, 171–199
android body fat distribution, 545–556
Annesi, G., 653–662
anthropology, 41–57, 141–159
anthropometry, 443–465
Antonacci, E., 509–515
Aouizérate, A., 575–581
apolipoprotein B (*APOB*), 375–382, 629–640, 793–807
"Apolipoprotein B and E Genetic Polymorphisms in the Cayapa Indians of Ecuador," 375–382
apolipoprotein E (*APOE*), 253–262, 375–382, 575–581
"Application of HLA Class II Polymorphism Analysis to the Study of the Population Structure of the Island of Krk, Croatia," 819–829
Arabs, in Jordan, 357–373
Araucanian Indians, 227–239
Araújo, Amélia G., 1–9
Argentina, 227–239, 777–783
arm length, 849–871
Asia, 97–106
"Association of Retinol Binding Protein in Multiple-Case Families with Insulin-Dependent Diabetes," 89–96
Aston, Christopher E., 793–807
Australia, 467–482
Austronesia, 467–482
*Ava*II, 483–498
Azores, 383–391

β-thalassemia mutation, 263–267
baboon, 831–848
Bailliet, Graciela, 641–652
Bakran, Maja, 819–829
Balakrishnan, K., 59–74
Balearic archipelago, Spain, 483–498
*Bam*HI polymorphism, 1–9, 483–498
Bamshad, Michael, 431–435
Barrai, Italo, 715–731
Barreto, Isabel, 641–652
Başak, A. Nazli, 263–267
Basque Country, Spain, 329–344
Bayes' rule, 675–688
Baykit District, Siberia, 403–417
Beall, Cynthia M., 597–604
behavioral factors, 545–556
Bertranpetit, J., 295–311
Bessa, Isabel, 31–40
BF (properdin factor), 357–373
Bianchi, Néstor O., 641–652
Bieber, Heidi, 41–57
Bieber, Sebastian W., 41–57
binary coding of haplotypes, 629–640
biological origins, 161–170
biological variability, 357–373
biparietal diameter, 831–848
birthplace
 distance, mate analysis and, 241–251
 geographic distribution, 383–391
 of pregnant woman, 345–356
 of US-born New York City residents, 533–544, 689–701
birth rate, 443–465
Black, Francis L., 467–482
blacks. *See also* African populations
 American, 75–88
 cystic fibrosis-linked DNA haplotypes, 75–88
 in New York City, 533–544, 689–701
 twins, 107–120
Blangero, John, 201–208, 443–465, 597–604, 831–848
blood groups
 in Abbad tribe, Jordan, 357–373
 in India, 171–199
 in Italy, 11–29
 in North Africa, 295–311
 in Uruguay, 161–170
BMI (body mass index), 393–402, 509–515
body fat distribution, 545–556
body mass index (BMI), 393–402, 509–515
"Body Mass Index and Family Histories in Type II Diabetic Propositi and Preliminary Observations on the Transmission of Diabetes in Polygamous Families," 393–402
Bonatto, Sandro Luiz, 141–159
Bonilla, Carolina, 641–652

book reviewers
Almasy, Laura, 131–134
Comuzzie, Diana K. Crowell, 894–895
McGrath, Janet W., 891–893
Meier, Robert J., 740–743
Relethford, John H., 131–134, 427–429, 739–740
Smith, Eric Alden, 586–589
Williams, Jeff T., 583–586
book reviews
Ache Life History: The Ecology and Demography of a Foraging People (Hill and Hurtado), 586–589
The Coming Plague: Newly Emerging Diseases in a World Out of Balance (Garrett), 891–893
Genetic Data Analysis II: Methods for Discrete Population Genetic Data (Weir), 583–586
The Genetics of Alcoholism (Begleiter and Kissin), 134–136
The Health Consequences of "Modernization": Evidence from Circumpolar Peoples (Shepard and Rode), 740–743
Human Biodiversity: Genes, Races, and History (Marks), 131–134
Intuitive Biostatistics (Motulsky), 427–429
Variation in the Human Genome (Chadwick and Cardew), 739–740
Women Changing Science: Voices from a Field in Transition (Morse), 894–895
Bordes, Javier, 809–818
Bortolini, Maria Cátira, 141–159
Bosch, E., 295–311
Bottini, F. Gloria, 509–515
Bottini, N., 509–515
Bouckaert, Andre, 241–251
Boulanger, Bruno, 241–251
Bradley, M., 201–208
Brahmajothi, V., 59–74
Brahmin population, 59–74
brain sparing, 849–871
Brancati, C., 653–662
Bravi, Claudio M., 641–652
Brazilian populations
African, 141–159
Amazonian, 1–9
cystic fibrosis in, 75–88, 499–508
HTLV and, 467–482
breast feeding, 557–573
brief communications
"Census versus Sample Data in Isonymy Studies: Relationship at Short Distances," 733–738
"CTG Repeat Number in the Nonaffected Allele of Myotonic Dystrophy Patients Is Not Critical for Disease Expression," 887–890
"G542X As a Probable Phoenician Cystic Fibrosis Mutation," 419–425
"Genetic Polymorphisms of Orosomucoid *ORM1* and *ORM2* in Egyptians, Sudanese, and Qataris: Occurrence of Two New Alleles," 121–129
"High Frequency of the Apolipoprotein E **4* Allele in African Pygmies and Most of the African Populations in Sub-Saharan Africa," 575–581
"Pattern of Gradient of Apolipoprotein E Allele **4* Frequencies in Western Europe," 253–262
"Rare β-Thalassemia Mutation in a Turkish Patient: FSC-36/37 (-T)," 263–267
"Twinning Trend in Escazú, Costa Rica, 1851–1901," 269–276
Brittenham, Gary M., 597–604
Bunker, Clareann H., 793–807

CAG trinucleotide, 653–662
Calafell, F., 295–311
Calderón, R., 329–344
cancer, 533–544, 689–701
Candlish, J.K., 629–640
Cardieri, Joselina M., 75–88, 499–508
Caribbean populations, 467–482
carotene, 89–96
Cascino, A., 887–890
Castelan, Natalia, 809–818
castes, 59–74, 171–199, 557–573
Castro, José A., 313–328, 483–498
Caucasian populations, 641–652, 689–701, 777–783. *See also* Europeans

Cayapa Indians, Ecuador, 375–382
"Census versus Sample Data in Isonymy Studies: Relationship at Short Distances," 733–738
CF. *See* cystic fibrosis
CFTR (CF transmembrane conductance regulator gene), 419–425
CF transmembrane conductance regulator gene (*CFTR*), 419–425
Chakraborty, Ranajit, 161–170
"Characterization of Four Short Tandem Repeat Loci (*THO1, VWA31/A, CD4,* and *TP53*) in Northern Portugal," 31–40
"Characterization of Mitochondrial DNA and Y-Chromosome Haplotypes in a Uruguayan Population of African Ancestry," 641–652
Chaventré, André, 819–829
Chenchu tribe, India, 171–199
cholesterol, 575–581
Christiansen, Kerrin, 41–57
chromosomes, 11–29, 75–88, 253–262
Chueta population, 313–328
chylomicrons, 253–262, 375–382
Cipollaro, M., 887–890
circulatory disease, 403–417
cirrhosis, 533–544, 689–701
Cleve, H., 357–373
clines, 663–673
cloning, 749–776
coagulation, 41–57
coagulation factor XIII (*F13B*), 357–373
coital rate, 545–556
colonization process, 663–673
Comas, D., 295–311
computer simulation, 663–673
Conforti, F.L., 653–662
consanguinity
  abortion rates, 345–356
  in Archbishopric of Santiago de Compostela, Spain, 517–531
  in Escazú, Costa Rica, 703–714
  in Venezuela, 715–731
Corach, Daniel, 777–783
Corbo, R.M., 375–382
coronary heart disease, 793–807
"Correlations of Quantitative Chromosomal Heteromorphisms and Classic Genetic Markers to Demogeographic Data in Garfagnana Valley (Tuscany, Italy)," 11–29
Costa Rica, 269–276, 703–714
Cotrufo, R., 887–890
Coutinho, Paula, 383–391
craniometrics, 785–792
Crawford, Michael H., 443–465
Croatia, 819–829
cross-cultural study, 269–276
crude mortality rate, 403–417, 689–701
"CTG Repeat Number in the Nonaffected Allele of Myotonic Dystrophy Patients Is Not Critical for Disease Expression," 887–890
Culpi, Lodércio, 75–88, 499–508
cystic fibrosis (CF)
  in Brazil, 75–88, 499–508
  mutations, 209–225, 419–425
"Cystic Fibrosis in the Brazilian Population: DF508 Mutation and KM-19/XV-2C Haplotype Distribution," 499–508

DA/DAPI heteromorphism, 11–29
Danazol (drug), 545–556
Da Silva, Maria Cristina B.O., 141–159
Dawson, Elliot, 75–88
*Dde*I polymorphism, 1–9
death rates
  accidental, 403–417
  age-adjusted, 533–544
Decker, Michael J., 597–604
De Leo, Claudia, 809–818
deletion, 793–807
Demarchi, Dario A., 227–239
demic diffusion model, 663–673
demographics, 161–170, 443–465
dendrograms, 41–57, 715–731
dermatoglyphics, 227–239
"Dermatoglyphics in Araucanian Indians from Patagonia and Multivariate Comparisons with Other Argentinian Aboriginal Populations," 227–239
Desjardins, Bertrand, 209–225
De Stefano, G.F., 375–382

"Determinants of Breast-Feeding Patterns in an Urban Society of India," 557–573
DF508 mutation, 419–425, 499–508
diabetes mellitus
 family histories, 393–402
 gender differences, 533–544, 689–701
 type 1, 89–96
diallelic locus, 329–344
Di Bernardo, G., 887–890
diet, 89–96
disease distribution, 533–544
dispensations, 703–714
"Distribution of Sequence Variation in the mtDNA Control Region of Native North Americans," 749–776
DM (dystrophia myotonia), 887–890
DNA. *See also* mitochondrial DNA
 of Cayapa Indians, Ecuador, 375–382
 false match of, 675–688
 haplotypes, 75–88
 Huntington's disease, 653–662
 Krk population, 819–829
 myotonic dystrophy, 887–890
 Orang Asli, Malaysia, 629–640
 PCR amplification of, 499–508
 polymorphisms, 161–170, 375–382, 793–807
 Y-chromosome-specific markers, 641–652
Dorman, J.S., 89–96
Duffy blood group, 357–373
Dyer, T., 831–848
dystrophia myotonia (DM), 887–890

ecclesiastical dispensations, 703–714
economic conditions, 557–573
Ecuador, 375–382
educational attainment, 533–544, 689–701
Egyptians, 121–129, 295–311
embryonic factors, 345–356
endometriosis, 545–556
environmental factors, 345–356
erythrocyte enzymes, 161–170, 357–373
Escazú, Costa Rica, 269–276
ESD (esterase D), 161–170
esterase D (*ESD*), 161–170
ethnic groups. *See specific ethnic groups*
ethnohistory, 819–829
Euclidean distance, 715–731
Europeans. *See also specific European populations*
 allele frequencies, 31–40, 75–88, 663–673
 in Uruguayan population, 161–170
"Evolutionary and Anthropological Implications of Mitochondrial DNA Variation in African Brazilian Populations," 141–159
"Evolution of Consanguinity in the Archbishopric of Santiago de Compostela (Spain) during 1900–1979," 517–531
exogamy, 345–356, 443–465

F13B (coagulation factor FXIIIB), 357–373
Facchini, Fiorenzo, 97–106
factorial analysis of correspondences, 313–328
factor IX gene, 1–9
"Factor IX Gene Haplotypes in Amerindians," 1–9
false match of DNA, 675–688
familial effects models, 107–120
families
 polygamous, 393–402
 spontaneous abortion patterns, 345–356
family history, 393–402
Fang, Jing, 533–544, 689–701
Fariña, J., 517–531
femur length, 831–848
Fernandez-Santander, A., 345–356
fertility patterns, 403–417
Figueiredo, Mauro S., 1–9
finger ridge counts, 227–239
Fiori, Giovanni, 97–106
Fisher's exact test, 499–508
Fix, Alan G., 663–673
foot length, 849–871
founder effect, 383–391, 663–673, 749–776
Franceschi, Marcello Giovanni, 11–29
Franco, Rendrik F., 1–9
free T4 hormone levels, 97–106
French Canadians, 209–225
fronto-occipital diameter, 831–848

"G542X As a Probable Phoenician Cystic Fibrosis Mutation," 419–425
G542X chromosomes, 419–425
G6PD (glucose-6-phosphate dehydrogenase), 161–170, 313–328
Gabriele, A.L., 653–662
Gajra, B., 629–640
Galano, G., 887–890
Galderisi, U., 887–890
Garfagnana Valley, Italy, 11–29
genealogy, 383–391
gene flow, 443–465
"Gene Frequency Clines Produced by Kin-Structured Founder Effects," 663–673
gene pool, 161–170
genetic analysis of susceptibility, 201–208
genetic distance analyses
of African populations, 41–57, 295–311
of tribal populations in India, 171–199
genetic diversity
in Abbad tribe, 357–373
in African Brazilian population, 141–159
in arterial oxygen saturation, 597–604
in Balearic Islands, Spain, 483–498
in plasma proteins, 41–57
in tribal populations of India, 171–199
genetic drift, 443–465
"Genetic Drift and Gene Flow in Post-Famine Ireland," 443–465
genetic frequency, 11–29, 663–673
genetic markers. *See also specific genetic markers*
in African populations, 141–159, 295–311, 785–792
in Garfagnana Valley, Italy, 11–29
genetic polymorphisms
in African populations, 785–792
blood group, 357–373
factor IX, 1–9
HLA class II, 819–829
in Majorcan Jews, 313–328
in non-insulin-dependent diabetes mellitus, 509–515
in North African populations, 295–311
in Orang Asli of western Malaysia, 629–640
of orosomucoid gene loci, 121–129
PTC taste sensitivity, 97–106
of tribal populations in India, 171–199
"Genetic Polymorphisms of Orosomucoid *ORM1* and *ORM2* in Egyptians, Sudanese, and Qataris: Occurrence of Two New Alleles," 121–129
genetic potential, for physical frailty, 107–120
genetics
anthropological, 41–57
historical, 161–170
"Genetics of the Chuetas (Majorcan Jews): A Comparative Study," 313–328
genetic structure
of Abbad tribe, 357–373
of Krk population, 819–829
temporal trends in, 443–465
"Genetic Study of African Populations: Polymorphisms of the Plasma Proteins *TF, PI, F13B,* and *AHSG* in Populations of Namibia and Mozambique," 41–57
"Genetic Study of the Tribal Populations of Andhra Pradesh, South India," 171–199
genetic trees, 295–311, 605–628
genetic variability, 41–57, 357–373, 785–792
genotype
associations, 629–640
determination, 793–807
distribution, 509–515
frequencies, 31–40, 375–382, 653–662
"Genotype Associations among Seven Apolipoprotein B Polymorphisms in a Population of Orang Asli of Western Malaysia," 629–640
geographic distribution
between birthplaces of mates, 241–251
of black elderly twins, 107–120
of HTLV, 467–479
of Machado-Joseph disease in Azores, 383–391
Gérard, N., 575–581
gestation, 345–356, 849–871
Giordano, Amanda R., 227–239
Giugliani, Roberto, 75–88, 499–508
GLO1 (glyoxalase 1), 161–170, 313–328

glucose-6-phosphate dehydrogenase (*G6PD*), 161–170, 313–328
glyoxalase 1 (*GLO1*), 161–170, 313–328
Goldstein, Melvyn C., 597–604
Gomulkiewicz, Richard, 675–688
Gonzalez, Norma, 809–818
Goswami, Giti, 557–573
Granados, Julio, 809–818
Great Famine, 443–465
Grubić, Zorana, 819–829
Guerreiro, João F., 1–9
Guevara, A., 375–382
Gusmão, Leonor, 31–40
gynoid body fat distribution, 545–556

*Hae*II, 483–498
haplogroups, 141–159, 749–775
haplotypes
  analysis, 75–88, 499–508
  of *APOB* gene, 629–640
  binary coding of, 629–640
  distributions, 75–88
  factor IX, 1–9
  mtDNA, 483–498
  Y chromosome, 641–652
haptoglobin (*HP*), 161–170, 313–328
Hardy-Weinberg equilibrium, 41–57, 171–199, 375–382, 653–662, 777–783, 793–807
Harpending-Ward model, 11–29
Harris and Kalmus method, 97–106
hazard analysis, 557–573
Hazout, Serge, 253–262, 419–425
HDL (high-density lipoprotein), 253–262, 375–382, 793–807
head circumference, 831–848, 849–871
heart disease, 533–544, 689–701, 793–807
hematocrit, 263–267
hemoglobin, 161–170, 263–267
Heng, C.K., 629–640
heredity, 393–402
heritability, 89–96, 201–208
heterogeneity, 1–9, 171–199, 357–373, 499–508
heteroscedasticity, 201–208
heterozygosity, 41–57, 777–783, 785–792
Heyer, Evelyne, 209–225
*Hha*I polymorphism, 1–9
high-altitude populations, 97–106, 597–604
high-density lipoprotein (HDL), 253–262, 375–382, 793–807
"High Frequency of the Apolipoprotein E *4 Allele in African Pygmies and Most of the African Populations in Sub-Saharan Africa," 575–581
high-pressure liquid chromatography (HPLC), 89–96
Hindus, 557–573
historical genetics, 161–170
"Historical Genetics in Uruguay: Estimates of Biological Origins and Their Problems," 161–170
"HLA Class I and Class II Alleles and Haplotypes in Mexican Mestizos Established from Serological Typing of 50 Families," 809–818
HLA system, 59–74, 295–311, 809–818, 819–829
Holden, Clare, 605–628
homicide, 533–544, 689–701
hookworm infection susceptibility, 201–208
hormonal hypothesis, 545–556
HP (haptoglobin), 161–170, 313–328
*Hpa*I fragment patterns, 483–498
HPLC (high-pressure liquid chromatography), 89–96
HTLV (human T-cell lymphotropic virus), 467–482
human major histocompatibility complex (*HLA*), 59–74, 295–311, 809–818, 819–829
human T-cell lymphotropic virus (HTLV), 467–482
Huntington's disease, 653–662
HVS-I (hypervariable segment), 141–159
hypertension, 533–544
hypervariable segment (HVS-I), 141–159
hypoxia, high-altitude, 597–604

Iacomino, G., 887–890
Ibiza, 483–498
Iceland, 253–262
IDL (intermediate-density lipoprotein), 375–382

IEF (isoelectric focusing), 41–57, 121–129, 357–373
IGF (insulin-like growth factors), 831–848
Imbrogno, E., 653–662
Imbrogno, L., 653–662
immigration patterns, 75–88
immunoglobulin A, 557–573
inbreeding
  in Abbad tribe, Jordan, 357–373
  in Costa Rica, 703–714
  in Spain, 345–356, 517–531
"Inbreeding in Escazú, Costa Rica (1800–1840, 1850–1899): Isonymy and Ecclesiastical Dispensations," 703–714
India
  Andhra Pradesh, 171–199
  breast-feeding patterns, 557–573
  hill tribes, 59–74, 171–199, 557–573
indigenous populations, 403–417
Indo-European migration model, 663–673
infant mortality rate, 403–417
insertion, 793–807
instrumental activities of daily living, 107–120
insulin-like growth factors (IGF), 831–848
intermediate-density lipoprotein (IDL), 375–382
intrauterine growth retardation (IUGR), 831–848
Ireland, 443–465
Irula tribe, 59–74
island populations, 329–344
"Is Length of Life Predictable?" 873–886
isoelectric focusing (IEF), 41–57, 121–129, 357–373
isofrequency, 419–425
isonymy, 11–29, 703–714, 715–731, 733–738
"Isonymy Structure of Sucre and Táchira, Two Venezuelan States," 715–731
Italy, 11–29, 509–515, 653–662
IUGR (intrauterine growth retardation), 831–848
Ivakine, Evgueni, 403–417

Jandel Scientific Table Curve program, 517–531
Janićijević, Branka, 819–829
Japanese, 467–482
Jaquish, C.E., 831–848
Jenkins, Trefor, 431–435
Jews, Majorcan, 313–328
joint families, 557–573
Jordan, Abbad tribe, 357–373
Jorde, Lynn, 431–435
Jovanović, Velkjo, 819–829

Kamboh, M. Ilyas, 793–807
Kaštelan, Andrija, 819–829
Keenleyside, Anne, 403–417
Khoisan population, 41–57
kinship
  coefficient, 329–344
  conditional, 715–731
  genetic difference analysis, 597–604
  genetic distance analyses and, 171–199
kin-structured founder effects, 663–673
Kirghiz population, 97–106
KM-19 genotype, 499–508
Kodali, Venkata Ranga Rao, 393–402
Koehler, A.N., 89–96
Koya tribe, 171–199
Kramer, M.K., 89–96
Krill, D., 89–96
Krishnamani, M.R.S., 75–88, 499–508
Krk population, 819–829

lactate dehydrogenase (LDH), 171–199
lactation, 557–573
lactose, 605–628
lactose digestion capacity (LDC), 605–628
LaGarde, J.P., 575–581
Lambadi tribe, 171–199
Lanchbury, J.S., 171–199
Lasker, Gabriel W., 733–738
LDC (lactose digestion capacity), 605–628
LDH (lactate dehydrogenase), 171–199
LDL (low-density lipoprotein), 375–382, 629–640, 793–807
"Legal Standards and the Significance of DNA Evidence," 675–688
leg length, 849–871
Leland, M.M., 831–848
Leonard, William R., 403–417
Leone, O., 653–662
Leppard, P., 873–886
Letters to the Editor, 431–435

Libya, 295–311
life expectancy, 107–120
Lima, Manuela, 383–391
lineage clusters, 141–159
linguistics
  analysis, 11–29
  families, 295–311
  tree, 605–628
linkage cluster analysis, 41–57
linkage disequilibrium analysis, 499–508, 629–640
lipids, 509–515, 793–807
lipoproteins, 575–581, 629–640, 793–807
Lisker, Ruben, 809–818
Lodeiro, R., 517–531
logistic regression, 241–251
$-\log(p)$, 329–344
Loirat, France, 253–262, 419–425
long-bone measurement, 849–871
longevity, 873–886
longitudinal data, 107–120
Lopez, Mayra, 809–818
Lorenz, Joseph G., 749–775
low-density lipoprotein (LDL), 375–382, 629–640, 793–807
low-molecular-weight acid phosphatase (*ACP1*), 509–515
"Low-Molecular-Weight Acid Phosphatase (*ACP1*), Obesity, and Blood Lipid Levels in Subjects with Non-Insulin-Dependent Diabetes Mellitus," 509–515
Lucarini, N., 509–515
Lucotte, Gérard, 253–262, 419–425, 575–581
Ludwig, Norberto, 75–88, 499–508
Luna, F., 345–356
Lus, G., 887–890

Mace, Ruth, 605–628
Machado-Joseph disease, 383–391
Madhavan, Shantha, 533–544, 689–701
Madrigal, L., 269–276, 703–714
Mahendran, V., 59–74
Majorca, Spain
  Chuetas, 313–328
  mtDNA RFLPs, 483–498
Mak, J.W., 629–640
malaria, 357–373
malate dehydrogenase (*MDH*), 171–199
Malayali, 59–74
malondialdehyde (MDA), 89–96
Mann-Whitney *U* test, 269–276
Mantel statistics, 11–29
Mantuano, E., 375–382
Marcellino, Alberto J., 227–239
Marostica, Paulo, 75–88, 499–508
marriage
  consanguineous, 345–356, 517–531, 703–714, 715–731
  frequency, 443–465
  Indian hill tribes and, 59–74
  mate analysis, 241–251
  registrations, 329–344
"Marriage: Distance between Birthplaces and Age Difference between Mates," 241–251
Martínez-Marignac, Verónica L., 641–652
Martinovic, Irena, 819–829
Massanet, M. Francesca, 483–498
Mastana, S.S., 171–199
mate analysis, 241–251
maternal age, 269–276, 345–356
maternal generation, 345–356
maternities, number of, 269–276
Mateu, E., 295–311
maximum-likelihood analyses, 161–170, 483–498, 605–628
May, Richard L., 849–871
Mayer, Francine, 383–391
MCH (mean corpuscular hemoglobin), 263–267
MCV (mean corpuscular volume), 263–267
MDA (malondialdehyde), 89–96
MDH (malate dehydrogenase), 171–199
mean corpuscular hemoglobin (MCH), 263–267
mean corpuscular volume (MCV), 263–267
mechanism of fetal loss (MOFL), 849–871
Mediterranean populations, 313–328, 345–356
Meindl, Richard S., 849–871
Melin-Adana, Hector, 809–818

Mendelian inheritance, 31–40
metropolitan populations, 777–783
microdifferentiation, 329–344
migration
  anthropometric data and, 443–465
  directional, 295–311
  evidence, 467–482
  Indian hill tribes, 59–74
  individual, 161–170
  matrix analyses, 329–344, 443–465
  parent-offspring, 329–344
  prehistoric, 467–482
  Siberian, 403–417
Miles, Toni P., 107–120
milk drinking, 605–628
Minorca, 483–498
mismatch distribution, 141–159
Mitchell, John, 431–435
mitochondrial DNA (mtDNA)
  in African populations, 785–792
  in Balearic Islands, Spain, 483–498
  control region, 141–159
  distribution of sequence in, 749–776
  human T-cell lymphotropic viruses, 467–482
  lineages, 641–652
  variation, 141–159
MNSs blood group, 313–328, 357–373
MOFL (mechanism of fetal loss), 849–871
molecular analysis, 263–267
molecular genetics, 107–120
Montevideo, Uruguay, 161–170
Moral, P., 345–356
Morales, B., 329–344
mortality rates
  of aboriginal Siberians, 403–417
  age-adjusted, 533–544
  infant, 403–417
  by race, 689–701
  sex-specific, 533–544
mortality records, 689–701
Moses, Sam G.P., 393–402
mother-child pair analyses, 31–40
Mourant, Arthur (obituary), 277–289
Mozambique, 41–57
*Mse*I polymorphism, 1–9
*Msp*I polymorphism, 1–9, 483–498
mtDNA. *See* mitochondrial DNA
Muglia, M., 653–662
multiple discriminant analysis, 227–239
"Mutation Rate of Excess African Heterozygosity," 785–792
mutations, 141–159, 499–508
myotonic dystrophy, 887–890
myotonin protein kinase, 887–890

Nabulsi, A.J., 357–373
Naidu, J.M., 431–435
Namibia, 41–57
Nath, Dilip C., 557–573
"Nativity, Race, and Mortality: Favorable Impact of Birth outside the United States on Mortality in New York City," 689–701
"Nativity, Race, and Mortality: Influence of Region of Birth on Mortality of US-Born Residents of New York City," 533–544
neighbor-joining tree, 295–311
Nei's gene diversity analysis, 171–199
neurodegenerative disorder, 383–391
newborns, 443–465
New Guinea, 467–482
"New Method for Comparing Levels of Microdifferentiation: Application to Migration Matrices of Two Populations from the Basque Country (Spain)," 329–344
New York City, blacks in, 533–544
NIDDM (non-insulin-dependent diabetes mellitus), 393–402, 509–515
non-insulin-dependent diabetes mellitus (NIDDM), 393–402, 509–515
non-Jewish circum-Mediterranean populations, 313–328
North Africa, 295–311
North Americans, 75–88, 749–776
nucleotide diversity, 141–159, 483–498
nucleotide substitutions, 141–159

obesity, 393–402, 509–515
"Obituary: Arthur Mourant (1904–1994)," 277–289
odds ratio, 241–251
offspring, 545–556

"Offspring Sex Ratio in Women with Android Body Fat Distribution," 545–556
O'Leary, L., 89–96
"Ontogenetic Changes in Genetic Regulation of Fetal Morphometrics in Baboons (*Papio hamadryas* subspp.)," 831–848
Orang Asli, Malaysia, 629–640
organ weights, 849–871
orgasms, multiple, 545–556
ORM1, 121–129
ORM2, 121–129
orosomucoid (*ORM1* and *ORM2*), 121–129
Orsini, A., 887–890
Oshida, S., 121–129
overdispersion, 201–208
oxygen saturation of arterial hemoglobin (Sa_{O_2}), 597–604

pairwise sequence differences, 749–776
palmar data, 227–239
Pamir, 97–106
Paoli, Giorgio, 11–29
Papiha, S.S., 171–199
parent-offspring pairs, 201–208, 329–344
Parker, Robert A., 75–88, 499–508
parsimony, 483–498, 749–776
Pastore, L., 887–890
Patagonia, 227–239
paternal influence, 393–402
"Pattern and Process in Growth of the Abnormal Human Fetus," 849–871
"Pattern of Gradient of Apolipoprotein E Allele **4* Frequencies in Western Europe," 253–262
PCR (polymerase chain reaction), 1–9, 31–40, 263–267, 499–508, 887–890
pedigree analysis, 121–129, 357–373, 383–391, 393–402
peerage life tables, 873–886
Peña, J.A., 329–344
Penacino, Gustavo, 777–783
Pérez-Lezaun, A., 295–311
Pettener, Davide, 97–106
PGD (phosphogluconate dehydrogenase), 161–170, 171–199, 357–373
PGM1 (phosphoglucomutase 1), 161–170, 357–373
PGM2 (phosphoglucomutase 2), 161–170, 171–199
phenotypes, 107–120, 263–267, 357–373
phenylthiocarbamide (PTC), 97–106
Phillips, John A., III, 75–88, 499–508
Phoenicians, 419–425
phosphoglucomutase 1 (*PGM1*), 161–170, 357–373
phosphoglucomutase 2 (*PGM2*), 161–170, 171–199
phosphogluconate dehydrogenase (*PGD*), 161–170, 171–199, 357–373
phylogenetic analysis, 605–628, 749–776
"Phylogenetic Analysis of the Evolution of Lactose Digestion in Adults," 605–628
phylogenetic tree, 629–640
physical disability, 107–120
physical frailty, 107–120
Picornell, Antònia, 313–328, 483–498
Pitchappan, R.M., 59–74
plasminogen (*PLG*), 357–373
PLG (plasminogen), 357–373
Polo, V., 345–356
polyacrylamide gel electrophoresis, 357–373
polygamy, 393–402
polymerase chain reaction (PCR), 1–9, 263–267, 499–508, 887–890
polymorphisms. *See* genetic polymorphisms
population. *See also specific populations*
  genetic tree, 605–628
  history, 295–311
  linguistic tree, 605–628
  size, 403–417, 443–465, 785–792
  structure, 171–199
"Population-Based, Genetically Informative Sample for Studies of Physical Frailty and Aging: Black Elderly Twin Study," 107–120
"Population History of North Africa: Evidence from Classical Genetic Markers," 295–311
Portas, Mónica, 641–652
Portugal, 31–40

posterior probability of guilt, 675–688
potential mate analysis, 241–251
Prasad, B.V.R., 431–435
Prata, Maria João, 31–40
pregnancy, 345–356
prehistoric migrations, 467–482
prereproductive mortality, 345–356
Pretolani, Enzo, 97–106
"Prevalence, Geographic Distribution, and Genealogical Investigation of Machado-Joseph Disease in the Azores (Portugal)," 383–391
principal components analysis, 313–328
probands, 209–225
properdin factor (*BF*), 357–373
proteins, serum
in Abbad tribe of Jordan, 357–373
in North African populations, 295–311
polymorphisms, 11–29, 41–57
in tribal populations of Andhra Pradesh, 171–199
protein-tyrosine phosphatase (PTPase), 509–515
PTC (phenylthiocarbamide), 97–106
PTPase (protein-tyrosine phosphatase), 509–515
Pygmies, 575–581
pyrimidine transitions, 141–159

Qataris, 121–129
"Quantitative Genetic Analysis of Arterial Oxygen Saturation in Tibetan Highlanders," 597–604
"Quantitative Genetic Analysis of Susceptibility to Hookworm Infection in a Population from Rural Zimbabwe," 201–208

race, 689–701
Raisonnier, A., 575–581
Ramasamy, S., 59–74
Ramirez, Eva, 809–818
Ramon, M. Misericòrdia, 313–328, 483–498
Rao, B. Bhaskara, 431–435
Rao, Y. Subba, 171–199
"Rare β-Thalassemia Mutation in a Turkish Patient: FSC-36/37 (-T)," 263–267
Raskin, Salmo, 75–88, 499–508
"Recent Fertility and Mortality Trends among Aboriginal and Nonaboriginal Populations of Central Siberia," 403–417
recombination, 75–88
red cell enzymes, 11–29, 171–199, 295–311
"Regional Distribution of Cystic Fibrosis–Linked DNA Haplotypes in Brazil: Multicenter Study," 75–88
regional variation, in genetics, 171–199
regression analyses, 89–96, 793–807
Reis, Francisco, 75–88, 499–508
"Relationship of Two Apolipoprotein B Polymorphisms with Serum Lipoprotein and Lipid Levels in African Blacks," 793–807
Relethford, John H., 443–465, 785–792
Relethford-Blangero model, 11–29
residence, of pregnant woman, 345–356
restriction fragment length polymorphisms (RFLPs)
APOB, 629–640
haplotypes, 75–88
mtDNA, 209–225, 483–498
VNTR, 777–783
XV-2C/KM-19 genotype, 499–508
retinol, 89–96
retinol binding protein, 89–96
retroviruses, 467–482
RFLPs. *See* restriction fragment length polymorphisms (RFLPs)
Rh system, 171–199, 313–328, 357–373
Rickards, O., 375–382
Rimondi, Andrea, 97–106
Riva, Pietro, 97–106
R matrix analysis, 11–29, 171–199, 357–373
Roberts, Derek F., 277–289, 819–829
Robinson, Haynes B., 849–871
Rodewald, Alexander, 41–57, 357–373
Rodríguez-Larralde, Alvaro, 715–731
Rome, Italy, 509–515
Rosario, Nelson A., 75–88, 499–508
Rozov, Tatiana, 75–88, 499–508
Rudan, Pavao, 819–829
Russia, 403–417

Saha, N., 629–640
Sala, Andrea, 777–783
Salvatore, F., 887–890
Salvi, Paolo, 97–106
Salzano, Francisco M., 141–159, 161–170
Sans, Mónica, 161–170, 641–652
Santhakumari, R., 59–74
Santoro, L., 887–890
Sa_{O_2} (oxygen saturation of arterial hemoglobin), 597–604
Sarrantonio, C., 887–890
Scacchi, R., 375–382
Schistosoma mansoni, 201–208
Sebetan, I.M., 121–129
segregation analyses, 201–208, 597–604
sensorimotor polyneuropathy, 209–225
serological analysis, 357–373
"Serological Analysis of the Abbad Tribe of Jordan," 357–373
Seshaiah, V., 393–402
"Seventeenth-Century European Origins of Hereditary Diseases in the Saguenay Population (Quebec, Canada)," 209–225
sex chromosome anomaly, 849–871
sex hormone binding globulin (SHBG), 545–556
sex ratio, of offspring, 545–556
sexual heterogeneity, 227–239
SHBG (sex hormone binding globulin), 545–556
Sherwood, Richard J., 849–871
Siberia, Central, 403–417
siblings, 393–402
Sichimbraeva, Kulan, 97–106
Silva, Filipe, 31–40
Silva-Júnior, Wilson A., 141–159
Singh, B.N., 171–199
Singh, Devendra, 545–556
single-gene effects, 107–120
Sivalingam, P., 59–74
skeletal maturity, 849–871
Slade, Norman A., 675–688
small-for-date infants, 849–871
Smith, David Glenn, 749–776
Smolej-Narančić, Nina, 819–829
Social Security number, 107–120
sociobiology, 59–74
"Sociobiology and *HLA* Genetic Polymorphism in Hill Tribes, the Irula of the Nilgiri Hills and the Malayali of the Shevroy Hills, South India," 59–74
sociodemography, 345–356
socioeconomic status, 533–544, 545–556, 557–573
SOD (superoxide dismutase), 171–199
Spain
  Archbishopric of Santiago de Compostela, 517–531
  Balearic archipelago, 483–498
  Basque Country, 329–344
  La Alta Alpujarra Oriental, 345–356
  Majorca, 313–328, 483–498
spontaneous abortion, 345–356
"Spontaneous Abortion Pattern in an Isolated Mediterranean Population: La Alta Alpujarra Oriental (Southeast Spain)," 345–356
Spurdle, Amanda, 431–435
standardized disequilibrium coefficient, 75–88
Stanyon, Roscoe, 11–29
Steinert disease, 209–225
stepwise discriminant analysis, 313–328
Strohl, Klingman, P., 597–604
stroke, 533–544, 689–701
"Study of the Populations of the Balearic Islands (Spain) Using mtDNA RFLPs," 483–498
Sudanese, 121–129
Sudarsen, V., 59–74
superoxide dismutase (*SOD*), 171–199
surnames, 715–731
survival data, 873–886
Swedes, 629–640

Tacuarembó, Uruguay, 161–170
Tadmouri, Ghazi Omar, 263–267
Tallis, G.M., 873–886
*Taq*I polymorphism, 1–9
taste sensitivity, 97–106
"Taste Sensitivity to PTC and Thyroid Function (FT4 and TSH) in High- and Low-Altitude Kirghiz Populations in the Pamir," 97–106
temporal trends, 403–417, 443–465

TF (transferrin), 41–57, 161–170, 357–373
thyroid gland, 97–106
Tie, J., 121–129
Tofanelli, Sergio, 11–29
Towne, B., 831–848
"Tracing Prehistoric Migrations by the Viruses They Carry: Human T-Cell Lymphotropic Viruses as Markers of Ethnic Relationships," 467–482
transferrin (*TF*), 41–57, 161–170, 357–373
Tremblay, Marc, 209–225
tribal populations, 171–199, 357–373, 749–776
triglycerides, 253–262
trisomy, 849–871
TSH hormone assays, 97–106
Turkey, 253–262, 263–267
Tüzmen, Şükrü, 263–267
"Twinning Trend in Escazú, Costa Rica, 1851–1901," 269–276
twins
  black, 107–120
  in Costa Rica, 269–276
  in Mediterranean populations, 345–356
tyrosinemia, hereditary type 1, 209–225

undernutrition, 393–402
United States, 533–544
Uruguayan populations, 161–170, 641–652

Varela, T.A., 517–531
Vargas-Alarcon, Gilberto, 809–818
variable number of tandem repeats (*VNTR*), 1–9, 777–783
variance decomposition approach, 201–208
Venezuela, 715–731
vertebral height measurement, 849–871
very low density lipoprotein (VLDL), 253–262, 375–382, 793–807
Vijayakumar, K., 59–74
violence, 403–417
viruses, 467–482
vitamin A, 89–96
vitamin D deficiency, 605–628
vitamin E, 89–96
VLDL (very low density lipoprotein), 253–262, 375–382, 793–807
Vnencak-Jones, Cindy, 75–88, 499–508
VNTR (variable number of tandem repeats), 1–9, 777–783
"VNTR Polymorphism in the Buenos Aires, Argentina, Metropolitan Population," 777–783

Wagner, M.A., 89–96
waist-to-hip ratio (WHR), 545–556
Ware, B., 703–714
Warty, V., 89–96
Watkins, Scott, 431–435
weaning, 557–573
Weckmann, Luisa, 809–818
Weimer, Tania A., 141–159
West Africa, 467–482
Western Europe, 253–262
whites. *See* Caucasian populations
WHR (waist-to-hip ratio), 545–556
Williams-Blangero, Sarah, 201–208, 597–604
Wright's F_{ST}, 329–344, 443–465

*Xba*I restriction endonuclease, 793–807
*Xmn*I polymorphism, 1–9
XV-2C/KM-19 haplotype distribution, 499–508

Y chromosome, 641–652
Yuasa, I., 121–129

Zago, Marco A., 1–9, 141–159
Zambarano, Robert J., 545–556
Zekraoui, L., 575–581
Zimbabwe, Africa, 201–208
Žunec, Renata, 819–829